

Division of Traffic Safety

Child Passenger Safety E-News

Seat Check Saturday - September 24, 2011

Registration is underway for Seat Check Saturday. Forms are available from your Regional Traffic Safety Liaison (TSL). Registration forms are due July 15th.

AAP UPDATES RECOMMENDATION ON CAR SEATS

Children should ride rear-facing to age 2, use a booster until at least age 8.

New advice from the American Academy of Pediatrics (AAP) will change the way many parents buckle up their children for a drive.

In a new policy published in the April 2011 issue of Pediatrics (published online March 21), the AAP advises parents to keep their toddlers in rear-facing car seats until age 2, or until they reach the maximum height and weight for their seat. It also advises that most children will need to ride in a belt-positioning booster seat until they have reached 4 feet 9 inches tall and are between 8 and 12 years of age.

The previous policy, from 2002, advised that it is safest for infants and toddlers to ride rear-facing up to the limits of the car seat, but it also cited age 12 months and 20 pounds as a minimum. As a result, many parents

Certification Courses

Champaign: July 12-15

For more information, contact Jennifer Toney at 309-828-1892 or jennifer.toney@illinois.gov

Centralia: July 19-22

For more information, contact Joe Murphy at 618-382-4606 or trooperjd@live.com

Chicago: August 2-6

For more information, contact Wanda Vazquez at 773-564-9070 or wvazquez@elrinconclinic.org

Woodstock: September 7-10

For more information, contact Robert Brasky at 847-531-0096 or rabrasky@att.net

Rockton: September 8, 9, 16 & 17

For more information, contact Melanie Wingo at 815-761-7365 or mwingo@niu.edu

Downs: September 15, 16, 23, & 24

For more information, contact Kerisa Fish at 309-828-1892 or

turned the seat to face the front of the car when their child celebrated his or her first birthday.

“Parents often look forward to transitioning from one stage to the next, but these transitions should generally be delayed until they’re necessary, when the child fully outgrows the limits for his or her current stage,” said Dennis Durbin, MD, FAAP, lead author of the policy statement and accompanying technical report.

“A rear-facing child safety seat does a better job of supporting the head, neck and spine of infants and toddlers in a crash, because it distributes the force of the collision over the entire body,” Dr. Durbin said. “For larger children, a forward-facing seat with a harness is safer than a booster, and a belt-positioning booster seat provides better protection than a seat belt alone until the seat belt fits correctly.”

While the rate of deaths in motor vehicle crashes in children under age 16 has decreased substantially – dropping 45 percent between 1997 and 2009 – it is still the leading cause of death for children ages 4 and older. Counting children and teens up to age 21, there are more than 5,000 deaths each year. Fatalities are just the tip of the iceberg; for every fatality, roughly 18 children are hospitalized and more than 400 are injured seriously enough to require medical treatment.

New research has found children are safer in rear-facing car seats. A 2007 study in the journal *Injury Prevention* showed that children under age 2 are 75 percent less likely to die or be

kerisa@ccrrn.com

Renewal Course

Roselle: July 22

For more information, contact Robert Brasky at 847-531-0096 or rabrasky@att.net

IDOT Contacts

State Occupant Protection Coordinator/Jennifer Toney
jennifer.toney@illinois.gov

Assistant State Occupant Protection Coordinator/Megan Fairheart
Megan.Fairheart@illinois.gov

Northern Illinois TSL/Melanie Wingo mwingo@niu.edu

Collar & Cook Counties TSL/Robert Brasky
rabrasky@att.net

Chicago TSL/Wanda Vazquez
wvazquez2562@hotmail.com

East Central TSL/Kerisa Fish
kerisa@ccrrn.com

West Central TSL/Jessi Hopkins
jessi@ccrrn.com

Southeastern TSL/Kathy White
kwhiteseilopc@hotmail.com

Southwestern TSL/Rachel Walker
buckleup@siu.edu

severely injured in a crash if they are riding rear-facing.

“The ‘age 2’ recommendation is not a deadline, but rather a guideline to help parents decide when to make the transition,” Dr. Durbin said. “Smaller children will benefit from remaining rear-facing longer, while other children may reach the maximum height or weight before 2 years of age.”

Children should transition from a rear-facing seat to a forward-facing seat with a harness, until they reach the maximum weight or height for that seat. Then a booster will make sure the vehicle’s lap-and-shoulder belt fit properly. The shoulder belt should lie across the middle of the chest and shoulder, not near the neck or face. The lap belt should fit low and snug on the hips and upper thighs, not across the belly. Most children will need a booster seat until they have reached 4 feet 9 inches tall and are between 8 and 12 years old.

Children should ride in the rear of a vehicle until they are 13 years old.

Although the Federal Aviation Administration permits children under age 2 to ride on an adult’s lap on an airplane, they are best protected by riding in an age- and size-appropriate restraint.

“Children should ride properly restrained on every trip in every type of transportation, on the road or in the air,” Dr. Durbin said.

A car seat guide for parents is available at www.healthychildren.org/carseatguid

[e](#)

<http://www.buckleupillinois.org>

[Forward to a Friend »](#)

All information is the sole property of our company and the right to distribute this content is based upon prior terms of service and agreements. To remove your address from this list, please [unsubscribe](#). Please visit our website for more details. **Mailing Address:** 1340 N. 9th Springfield, Illinois 62702.